

Publikationsliste Dr. L Wanke-Jellinek (Auszug)

Erstautor

Wanke-Jellinek, L., Krenauer, A., Wuertinger, C., Storzer, B., Haasters, F., & Mehren, C. (2022). Predictive Parameters for Chêneau Brace Efficacy in Patients with Adolescent Idiopathic Scoliosis. *Global Spine Journal*, 0–6. <https://doi.org/10.1177/21925682221114051>

Wanke-Jellinek, L., & Mehren, C. (2021). 13/f-Slightly tilted posture and back pain radiating into the leg: Preparation for the medical specialist examination: Case 37. *Der Orthopäde*, 50(Suppl 1), 107–110.

Wanke-Jellinek, L., Heese, O., Krenauer, A., Würtinger, C., Siepe, C. J., Wiechert, K., & Mehren, C. (2019). Is there any use? Validity of 4D rasterstereography compared to EOS 3D X-ray imaging in patients with degenerative disk disease. *Eur Spine J*, 28(9), 2162–2168. <https://doi.org/10.1007/s00586-019-06082-2>

Wanke-Jellinek, L., Keegan, J. W., Dolan, J. W., & Lederer, J. A. (2016). Characterization of lung infection–induced TCR $\gamma\delta$ T cell phenotypes by CyTOF mass cytometry. *Journal of Leucocyte Biology*, 99(3), 483–493.

Wanke-Jellinek, L., Keegan, J. W., James, W., Guo, F., Chen, J., & Lederer, J. A. (2016). Beneficial Effects of CpG-Oligodeoxynucleotide Treatment on Trauma and Secondary Lung Infection. *J Immunol.*, 196(2), 767–777. <https://doi.org/10.4049/jimmunol.1500597>

Wanke-Jellinek, L., van Griensven, M., & Biberthaler, P. (2014). [Diagnostic biomarkers in traumatic brain injury]. *Der Unfallchirurg*, 117(8), 693–698. <https://doi.org/10.1007/s00113-013-2542-7>

Wanke-Jellinek, L., & Biberthaler, P. (2013). Serummarker nach Schädel-Hirn Trauma. *Trauma Und Berufskrankheit*, 1–8. <https://doi.org/10.1007/s10039-013-1957-2>

Co-Autor

Heider, F. C., Kamenova, M., Wanke-Jellinek, L., Siepe, C. J., & Mehren, C. (2024). Could the different surgical goals of fusion and non-fusion also be achieved in combination within the same patient? Clinical and radiological outcome of hybrid cervical spine surgery. *European Spine Journal*, 1–11.

Mehren, C., Wanke-Jellinek, L., & Korge, A. (2020). Revision after failed discectomy. *European Spine Journal*, 29, 14–21.

Mehren, C., Wanke-Jellinek, L., Krenauer, A., & Korge, A. (2020). The mono- and multisegmental ventral minimally invasive approach to the lumbar spine (OLIF) in lumbar deformities. *Operative Orthopädie Und Traumatologie*, 32, 200–208.

Pehlivanoglu, T., Wuertz-Kozak, K., Heider, F., Sauer, D., Wanke-Jellinek, L., Mayer, M., & Mehren, C. (2019). Clinical and radiographic outcome of patients with cervical spondylotic myelopathy undergoing total disc replacement. *Spine*, 44(20), 1403–1411.

Stoecklein, V. M., Osuka, A., Ishikawa, S., Lederer, M. R., Wanke-Jellinek, L., & Lederer, J. A. (2015). Radiation exposure induces inflammasome pathway activation in immune cells. *The Journal of Immunology*, 194(3), 1178–1189.

Helfen, T., Wanke-Jellinek, L., Bogner, V., Kanz, K. G., Mutschler, W., & Haasters, F. (2014). Detection and retrieval of ferromagnetic foreign particles in cosmetically sophisticated regions. *Canadian Journal of Emergency Medicine*, 16(6), 494–496.

Schmidutz, F., Fottner, A., Wanke-Jellinek, L., Steinbrück, A., Jansson, V., & Mazzochian, F. (2012). Hip resurfacing requires larger acetabular cups than conventional hip replacement: A comparative analysis of 100 hips, based on radiographic templating. *Acta Orthopædica Belgica*, 78(4), 484.

Schmidutz, F., Steinbrück, A., Wanke-Jellinek, L., Pietschmann, M., Jansson, V., & Fottner, A. (2012). The accuracy of digital templating: a comparison of short-stem total hip arthroplasty and conventional total hip arthroplasty. *International Orthopaedics*, 1–8. <https://doi.org/10.1007/s00264-012-1532-7>

Schmidutz, F., Wanke-Jellinek, L., Fottner, A., Jansson, V., & Mazoochian, F. (2012). Revision of hip resurfacing arthroplasty with a bone-conserving short-stem implant: a case report and review of the literature. *Journal of Medical Case Reports*, 6(1), 249. <https://doi.org/10.1186/1752-1947-6-249>

Fottner, A., Peter, C. v, Schmidutz, F., Wanke-Jellinek, L., Schröder, C., Mazoochian, F., & Jansson, V. (2011). Biomechanical evaluation of different offset versions of a cementless hip prosthesis by 3-dimensional measurement of micromotions. *Clinical Biomechanics*, 26(8), 830–835.